

Applicants: Jonathan M. Barasch et al.

U.S. Serial No.: 09/980,853, national stage of PCT/US00/12536

National Entry Date: November 2, 2001

Page 3

computer readable form for the instant application. It is understood that the Patent and Trademark Office will make the necessary change in application number and filing date for the computer readable form that will be used for the instant application.

Accordingly, in accordance with 37 C.F.R. §1.821(e), please use the computer readable form filed in PCT International Application No. PCT/US00/12536 on May 4, 2000 as the computer readable form for the instant application.

INFORMATION DISCLOSURE STATEMENT

In accordance with their duty of disclosure under 37 C.F.R. §1.56, applicants would like to direct the Examiner's attention to the following references which are listed on the attached Form PTO-1449 (**Exhibit C**). These references were previously submitted or cited in connection with the prosecution of U.S. Serial No. 09/305,029. The subject application claims benefit of the filing date of U.S. Serial No. 09/305,029 under 35 U.S.C. §120. According to 37 C.F.R. §1.98(d), copies of patents or publications that were previously cited by, or submitted to, the Patent Office in connection with such prior applications need not accompany the Information Disclosure Statement. Accordingly, copies of the following references are not attached to this Information Disclosure Statement:

1. PCT International Publication No. WO 00/41713, published July 20, 2000;

Applicants: Jonathan M. Barasch et al.

U.S. Serial No.: 09/980,853, national stage of PCT/US00/12536

National Entry Date: November 2, 2001

Page 4

2. Barasch, J., L. Pressler, J. Connor, and A. Malik. 1996. A ureteric bud cell line induces nephrogenesis in two steps by two distinct signals. *Am. J. Physiol.* 271: F50-F61;
3. Barasch, J., J. Qiao, G. McWilliams, D. Chen, J.A. Oliver, and D. Herzlinger. 1997. Ureteric bud cells secrete multiple factors, including bFGF, which rescue renal progenitors from apoptosis. *Am. J. Physiol.* 273: F757-F767;
4. Barasch, J., J. Yang, J. Qiao, P. Tempst, H. Erdjument-Bromage, W. Leung, J.A. Oliver. May, 1999. Tissue inhibitor of metalloproteinase-2 stimulates mesenchymal growth and regulates epithelial branching during morphogenesis of the rat metanephros. *J. Clin. Invest.* 103: 1299-1307;
5. Bard, J.B.L. and A.S.A. Ross. LIF, the ES-cell inhibition factor, reversibly blocks nephrogenesis in cultured mouse kidney rudiments. *Development* 113: 193-198, 1991;
6. Boccaccio, C., M. Ando, L. Tamagnone, A. Bardelli, P. Michieli, C. Battistini, and P.M. Comoglio. 1998. Induction of epithelial tubules by growth factor HGF depends on the STAT pathway. *Nature* 391: 285-288;
7. Bonni, A., Y. Sun, M. Nadal-Vicens, A. Bhatt, D. A. Frank, I. Rozovsky, N. Stahl, G.D. Yancopoulos, and M.E. Greenberg. 1997. Regulation of gliogenesis in the central nervous system by the JAK-STAT signaling pathway. *Science* 278: 477-483;
8. Grobstein, C. 1955. Inductive interaction in the development of the mouse metanephros. *J. Exp. Zool.* 130: 319-339;
9. Gruenwald, P. 1943. Stimulation of nephrogenic tissue by normal and abnormal inductors. *Anat. Rec.* 86: 321-335;
10. Hartner, A. et al. Cytokine-induced expression of leukemia inhibitory factor in renal mesangial cells. *Kidney International* 45: 1562-1571, 1994;
11. Hartner, A. et al. Renal mesangial cells have the capacity to synthesize and react to leukemia inhibitory factor. *Ann. N.Y. Acad. Sci.* 762 (Interleukin-6-Type Cytokines): 424-425, 1995 (Abstract);

Applicants: Jonathan M. Barasch et al.

U.S. Serial No.: 09/980,853, national stage of PCT/US00/12536

National Entry Date: November 2, 2001

Page 5

12. Herzlinger, D., J. Qiao, D. Cohen, N. Ramakrishna, and A.M.C. Brown. 1994. Induction of Kidney epithelial morphogenesis by cells expressing *Wnt-1*. *Develop. Biol.* 166: 815-818;
13. Karavanova, I.D., L.F. Dove, J.H. Resau, and A.O. Perantoni. 1996. Conditioned media from a rat ureteric bud cell line in combination with bFGF induces complete differentiation of isolated metanephric mesenchyme. *Development* 122: 4159-4167;
14. Kispert, A., S. Vainio, A.P. McMahon. 1998. Wnt-4 is a mesenchymal signal for epithelial transformation of metanephric mesenchyme in the developing kidney. *Development* 125: 4225-4234;
15. Mayer, M., Bhakoo, K., and M. Noble. 1994. Ciliary Neurotrophic factor and leukemia inhibitory factor promote the generation, maturation and survival of oligodendrocytes in vitro. *Development* 120: 143-153;
16. Morel, D.S. et al. Renal synthesis of leukemia inhibitory factor. *Cytokine* 12(3): 265-271, 2000 (Abstract);
17. Murphy, M., K. Reid, D.J. Hilton, and P.F. Bartlett. 1991. Generation of sensory neurons is stimulated by leukemia inhibitory factor. *Proc. Natl. Acad. Sci. USA* 88: 3498-3501;
18. Murphy, M., K. Reid, M.A. Brown, P.F. Bartlett. 1993 Involvement of leukemia inhibitory factor and nerve growth factor in the development of dorsal root ganglion neurons. *Development* 117: 1173-1182;
19. Murphy, M., K. Reid, M. Ford, J. B. Furness, and P. F. Bartlett. 1994. FGF2 regulates proliferation of neural crest cells, with subsequent neuronal differentiation regulated by LIF or related factors. *Development* 120: 3519-3528;
20. Perantoni, A.O., L.F. Dove and I. Karavanova. 1995. Basic fibroblast growth factor can mediate the early inductive events in renal development. *Proc. Natl. Acad. Sci. USA*. 92: 4696-4700;
21. Sariola, H., P. Ekblom, S. Henke-Fahle. 1989. Embryonic neurons as *in vitro* inducers of differentiation of nephrogenic mesenchyme. *Devel. Biol.* 132: 271-281;

Applicants: Jonathan M. Barasch et al.

U.S. Serial No.: 09/980,853, national stage of PCT/US00/12536

National Entry Date: November 2, 2001

Page 6

22. Stark, K., S. Vainio, G. Vassileva, A. P. McMahon. 1994. Epithelial transformation of metanephric mesenchyme in the developing kidney regulated by *Wnt-4*. *Nature* 372: 679-683;
23. Taupin, J.L. et al. HILDA-LIF urinary excretion during acute kidney rejection. *Transplantation* 53(3): 655-658, 1992 (Abstract); and
24. Wallner, E.I. et al. Growth factors in metanephric development. *Renal Failure* 20(2): 331-341, 1998 (Abstract).

Applicants are submitting this Information Disclosure Statement under 37 C.F.R. §1.97(b)(3) before the mailing of a first Office Action on the merits. Accordingly, no fee is deemed necessary in connection with the filing of this Information Disclosure Statement.

If a telephone interview would be of assistance in advancing prosecution of the subject application, applicants' undersigned attorney invites the Examiner to telephone the number provided below.

Applicants: Jonathan M. Barasch et al.
U.S. Serial No.: 09/980,853, national stage of PCT/US00/12536
National Entry Date: November 2, 2001
Page 7

No fee, other than the enclosed \$65.00 surcharge for filing the attached Declaration, is deemed necessary in connection with the filing of this Communication and Information Disclosure Statement. However, if any other fee is required, authorization is hereby given to charge the amount of any such fee to Deposit Account No. 03-3125.

Respectfully submitted,



John P. White
Registration No. 28,678
Alan D. Miller
Registration No. 42,889
Attorneys for Applicants
Cooper & Dunham LLP
1185 Avenue of the Americas
New York, New York 10036
(212) 278-0400

I hereby certify that this correspondence is being deposited this date with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, BOX PCT, Washington, D.C. 20231.	
	3/5/02
Alan D. Miller Reg. No. 42,889	Date

Form PTO-1449 U.S. Department of Commerce Patent and Trademark Office				Atty. Docket No. 58040-A-PCT-US/JPW/ADM	Serial No. 09/980,853
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				Applicants: Jonathan M. Barasch et al.	
				Filing Date: November 2, 2001	Group Art Unit

U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Translation	
						Yes	No
	0 0 4 1 7 1 3	7/20/00	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

	Barasch, J., L. Pressler, J. Connor, and A. Malik. 1996. A ureteric bud cell line induces nephrogenesis in two steps by two distinct signals. <i>Am. J. Physiol.</i> 271: F50-F61;
	Barasch, J., J. Qiao, G. McWilliams, D. Chen, J.A. Oliver, and D. Herzlinger. 1997. Ureteric bud cells secrete multiple factors, including bFGF, which rescue renal progenitors from apoptosis. <i>Am. J. Physiol.</i> 273: F757-F767;
	Barasch, J., J. Yang, J. Qiao, P. Tempst, H. Erdjument-Bromage, W. Leung, J.A. Oliver. May, 1999. Tissue inhibitor of metalloproteinase-2 stimulates mesenchymal growth and regulates epithelial branching during morphogenesis of the rat metanephros. <i>J. Clin. Invest.</i> 103: 1299-1307;
	Bard, J.B.L. and A.S.A. Ross. LIF, the ES-cell inhibition factor, reversibly blocks nephrogenesis in cultured mouse kidney rudiments. <i>Development</i> 113: 193-198, 1991;
	Boccaccio, C., M. Ando, L. Tamagnone, A. Bardelli, P. Michieli, C. Battistini, and P.M. Comoglio. 1998. Induction of epithelial tubules by growth factor HGF depends on the STAT pathway. <i>Nature</i> 391: 285-288;
	Bonni, A., Y. Sun, M. Nadal-Vicens, A. Bhatt, D. A. Frank, I. Rozovsky, N. Stahl, G.D. Yancopoulos, and M.E. Greenberg. 1997. Regulation of gliogenesis in the central nervous system by the JAK-STAT signaling pathway. <i>Science</i> 278: 477-483;
	Grobstein, C. 1955. Inductive interaction in the development of the mouse metanephros. <i>J. Exp. Zool.</i> 130: 319-339;
	Gruenwald, P. 1943. Stimulation of nephrogenic tissue by normal and abnormal inductors. <i>Anat. Rec.</i> 86: 321-335;

EXAMINER	DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (REV. 8-83)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Atty. Docket No. 58040-A-PCT-US/JPW/ADM	U.S. Serial No. 09/980,853
		INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		Applicants: Jonathan M. Barasch et al.	
				Filing Date November 2, 2001	Group Art
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
Hartner, A. et al. Cytokine-induced expression of leukemia inhibitory factor in renal mesangial cells. <i>Kidney International</i> 45: 1562-1571, 1994;					
Hartner, A. et al. Renal mesangial cells have the capacity to synthesize and react to leukemia inhibitory factor. <i>Ann. N.Y. Acad. Sci.</i> 762 (Interleukin-6-Type Cytokines): 424-425, 1995 (Abstract);					
Herzlinger, D., J. Qiao, D. Cohen, N. Ramakrishna, and A.M.C. Brown. 1994. Induction of Kidney epithelial morphogenesis by cells expressing Wnt-1. <i>Develop. Biol.</i> 166: 815-818;					
Karavanova, I.D., L.F. Dove, J.H. Resau, and A.O. Perantoni. 1996. Conditioned media from a rat ureteric bud cell line in combination with bFGF induces complete differentiation of isolated metanephric mesenchyme. <i>Development</i> 122: 4159-4167;					
Kispert, A., S. Vainio, A.P. McMahon. 1998. Wnt-4 is a mesenchymal signal for epithelial transformation of metanephric mesenchyme in the developing kidney. <i>Development</i> 125: 4225-4234;					
Mayer, M., Bhakoo, K., and M. Noble. 1994. Ciliary Neurotrophic factor and leukemia inhibitory factor promote the generation, maturation and survival of oligodendrocytes in vitro. <i>Development</i> 120: 143-153;					
Morel, D.S. et al. Renal synthesis of leukemia inhibitory factor. <i>Cytokine</i> 12(3): 265-271, 2000 (Abstract);					
Murphy, M., K. Reid, D.J. Hilton, and P.F. Bartlett. 1991. Generation of sensory neurons is stimulated by leukemia inhibitory factor. <i>Proc. Natl. Acad. Sci. USA</i> 88: 3498-3501;					
Murphy, M., K. Reid, M.A. Brown, P.F. Bartlett. 1993 Involvement of leukemia inhibitory factor and nerve growth factor in the development of dorsal root ganglion neurons. <i>Development</i> 117: 1173-1182;					
Murphy, M., K. Reid, M. Ford, J. B. Furness, and P. F. Bartlett. 1994. FGF2 regulates proliferation of neural crest cells, with subsequent neuronal differentiation regulated by LIF or related factors. <i>Development</i> 120: 3519-3528;					
Perantoni, A.O., L.F. Dove and I. Karavanova. 1995. Basic fibroblast growth factor can mediate the early inductive events in renal development. <i>Proc. Natl. Acad. Sci. USA</i> 92: 4696-4700;					
Sariola, H., P. Ekblom, S. Henke-Fahle. 1989. Embryonic neurons as <i>in vitro</i> inducers of differentiation of nephrogenic mesenchyme. <i>Devel. Biol.</i> 132: 271-281;					
EXAMINER		DATE CONSIDERED			
<small>*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>					

